

January 2008

W760

Expressive music





Preface

Purpose of this document

This White paper will be published in several revisions as the phone is developed. Therefore, some of the headings and tables in this document contain limited information. Additional information and facts will be forthcoming in later revisions.

The aim of this White paper is to give the reader an understanding of the main functions and features of this phone.

People who can benefit from this document include:

- Operators
- Service providers
- Software developers
- Support engineers
- Application developers

This White paper is published by:

Sony Ericsson Mobile Communications AB, SE-221 88 Lund, Sweden

Phone: +46 46 19 40 00 Fax: +46 46 19 41 00 www.sonyericsson.com/

© Sony Ericsson Mobile Communications AB, 2007. All rights reserved. You are hereby granted a license to download and/or print a copy of this document

Any rights not expressly granted herein are reserved.

First edition (January 2008) Publication number: 1207-4079.1 This document is published by Sony Ericsson Mobile Communications AB, without any warranty*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only.

*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any

Sony Ericsson Developer World

On <u>www.sonyericsson.com/developer</u>, developers will find documentation and tools such as phone White papers, Developers guidelines for different technologies, SDKs and relevant APIs. The Web site also contains discussion forums monitored by the Sony Ericsson Developer Support team, an extensive Knowledge Base, Tips & Tricks, example code and news.

Sony Ericsson also offers technical support services to professional developers. For more information about these professional services, go to the Sony Ericsson Developer World Web site.

Document history

Change history			
Date	Revision	Comment	
3 January 2008	1	Initial release	

Contents

Product overview	
Key features	
Images	10
Technologies in detail	
Functions and features	12
Facts and figures	27
Technical specifications	28
General technical data	28
Performance and technical characteristics	28
USSD technical data	29
GPRS technical data	30
EDGE technical data	31
SIM AT services supported	32
Entertainment	37
Audio and Video	37
Java™	38
Imaging/Messaging	38
3.0 Megapixel camera	38
Images	39
Supported character sets	40
Short Messaging Service	40
Enhanced Messaging Service	42
Multimedia Messaging Service	43
Email client technical data	45
Connectivity	46
Bluetooth [™] technical data	46
OMA Data Synchronization (SyncML) technical data	47
Microsoft® Exchange ActiveSync	47
Web browser technical data	48
Client Provisioning	51
Abbreviations	53
Related information	57
Documents	
Links	
Trademarks and acknowledgements	

Product overview

In a thin and stylish slider design, W760 takes music and gaming to the next level of entertainment.

My music, my style. The user is ready for being on the move.

The W760 offers distinctive stereo speakers, amplifying the music, while the 3D gaming capabilities enhance the fun gaming experience. With tilt gaming that includes A/B buttons, the W760 appeals to gamers who don't want to carry a separate device. The power of the accelerometer and the dedicated gaming keys invite the user to new, playful and fun gaming experiences, further enhanced by the large, bright crystal screen. The Walkman® player 3.0 offers fun and easy-to-use applications, helping the user to organize and discover music by mood.

Features include:

- The latest Walkman® player with new features
- Playful illumination with flash themes
- Shake control with music and gaming
- 3D gaming
- 2.2 inch bright crystal, high resolution screen
- The latest in 3G/HSPDA/EDGE technology
- 3.0 megapixel camera for pictures and video
- Media crossbar user interface with RSS feeds
- Share video clips and full-size images via mobile blogging
- Web browser supporting HTML
- FM radio with RDS and track identification
- · GPS and navigation support

A user-friendly media organizer helps the user to manage all media, such as video clips, pictures and music. The included Media manager software makes it easier to transfer and manage music, video clips, pictures and games between computer and phone. A USB cable is provided for you to synchronize or transfer files between phone and computer. A 1 GB Memory Stick Micro™ (M2™), USB adapter and colour-matched stereo headset are also included.

Key features

Walkman® player 3.0

Located in Media, the Walkman® player converts the phone into a portable music player that supports AAC, AAC+, Enhanced ACC+, MP3, MP4, M4A, 3GP, AMR NB, AMR WB, WAV, S-MIDI, G-MIDI, RealAudio 8, WMA, WMA Pro LBR, and Mobile XMF 1.0 audio formats. Access audio books and podcasts you have transferred from your computer. Smart lists, such as most played tracks and recently played tracks, are created automatically based on previous selections. Use SensMeTM to discover music by mood. The phone knows the mood of each song without having to enter information such as slow, fast, major, minor, acoustic, electric etc. Mark a song and a circle appears around this and encircles several other songs in the same mood creating a selection. No need to choose artist or album, just mood.

TrackID™

TrackID™ enables the user to identify a track playing on the built-in radio, or a track playing in the room. A few seconds of the song is sampled, the phone connects to an online database, which identifies the song and returns Title, Artist and Album information.

Bluetooth™ wireless technology

Several devices (simultaneous Bluetooth™ connections) can be connected up to 10 metres (33 feet) away using Bluetooth wireless technology. For example, when the phone rings, it can be answered with a Bluetooth headset, and images can be sent to another phone at the same time. Several mobile phones can take part in a Bluetooth-supported game and the phone and a computer can exchange data such as images, video clips, vCards, music files and calendar data. Bluetooth version 2.0 is supported.

Bluetooth™ audio streaming

Listen to audio in compatible devices. By connecting a Bluetooth A2DP compatible accessory, such as a stereo Bluetooth headset or a Bluetooth music receiver, you can enjoy high quality stereo audio streaming wirelessly from the phone. Many A2DP accessories also support the Bluetooth Audio Video Remote Control Profile (AVRCP) allowing you to control the Walkman® player in the phone using the accessory interface.

Stereo widening

The Stereo Widening effect improves the sound experience when listening to music through a stereo Bluetooth™ headset, external stereo speakers or stereo portable handsfree headsets.

Mega Bass™

The Mega Bass™ effect gives you big bass sound when you are listening to music through a stereo Bluetooth™ headset or a stereo portable handsfree headset.

Shake control

Shake the phone to shuffle the playlist, jump to another song, or control gaming functions. This feature is hardware dependant and currently only available in selected Sony Ericsson phones.

Video camera

The built-in camera captures a video recording and saves it in the phone or on a memory card. A video clip can be shared as a picture message or email with friends or family, or using any available transfer method such as Bluetooth™ wireless technology. The phone supports QVGA size video recording.

Web feeds

A built-in RSS (Really Simple Syndication) Reader is used in combination with the Internet browser. When browsing, frequently updated content such as news headlines or podcasts can be received as feeds.

Web feeds ticker

News headlines you subscribe to can be shown in standby using Web feeds.

HTML Web browser support

Browse the Internet and look at Web sites in a different way with Access NetFront™ 3.4 – an HTML browser which supports a complete Web standard suite.

Landscape browsing support

View Web pages in landscape mode.

Mobile blogging

Send pictures and video clips using the Internet to show on your personal blog, allowing people easy access to view and comment on your pictures and video clips.

Photo tags

Navigate through your captured photos and thousands of downsized photos transferred from your computer. View captured photos and video clips in an intuitive timeline view. Play animated slide shows with music and different moods. Tag your photos to find them faster.

PictBridge™ - Camera printing

Print pictures from the phone using the USB cable directly to a printer, without a computer or photo editing software. Transfer images from the phone using the USB cable directly to a printer, without a computer or photo editing software.

Push email

The phone supports push email, a method of pushing new email messages automatically to mobile devices. Push email increases mobile email usability, with email being delivered in the background (similar to SMS or MMS).

3D Gaming

Gaming is a very popular feature in mobile phones. Several premium quality 3D games are included in the phone at purchase. Shake the phone to control gaming functions. Tilt the phone forwards, backwards, left or right to accelerate, decelerate, turn left or turn right. Two action keys have been added to intensify the experience. With JavaTM, users can download new games and skill levels to further enhance their entertainment experience.

Java™

Download additional applications which are information- and entertainment-based. This gives users a chance to personalize the functions and features in their phones, and developers the opportunity to create new applications. Java Platform 8 (JP-8), supports a range of new Java programming features including instant messaging/chat and presence based functionality, handling banking, payment transactions, user identification and authentication through secure encryption technology.

2.2 inch colour screen

The large 2.2 inch (240x320 pixels) full graphic QVGA 262k colour screen enhances viewing, facilitating high-quality multimedia and entertainment.

Media

A unique Sony Ericsson media experience. All media can be accessed directly from the desktop. Navigate seamlessly through captured photos and video clips, pictures, photo tags, music, videos and more.

Music player

Located in Media. Play downloaded music and audio. The navigation system enables you, for example, to browse through your favourite tracks and create simple playlists.

Video player

Located in Media. Play stored and downloaded video clips.

3.0 Megapixel camera

The camera is 3.0 megapixel and includes 2.5x digital zoom with fixed focus, auto rotate and Photo fix to take quality pictures with ease. The horizontal user interface allows for easier camera handling. The main camera captures video clips with 2.5x digital zoom, and stores them in the phone or on a memory card. A picture or video clip can be shared as a picture message or email message with friends or family, or using any available transfer method, such as Bluetooth[™]. The phone supports QCIF size video recording.

Sony Ericsson Media Manager

Music, photo and video clip management software is available on the CD which is included in the kit. Transfer music, videos and photos to and from your phone. Prepare files for transfer even when your phone is not connected to your computer. Search for and select music on your computer or audio CDs and convert your existing audio tracks to formats that are suitable for mobile use before transferring them to your phone. You can also subscribe to feeds such as video and music podcasts.

RDS FM Radio

The FM radio with RDS (Radio Data System) offers instant and easy access to FM radio channels. The RDS function brings information directly to the screen, which is sent out by the currently tuned in radio station. Just plug in the handsfree that works as an antenna and start listening to desired music. The radio can also be used as an alarm signal.

Memory card reader

The extra memory slot supports memory cards up to 4 GB. Different kinds of content (pictures, audio, video clips, etc.) can be stored on memory cards, and transferred to other memory cards – compatible consumer products, for example Sony digital cameras, camcorders, portable music players, TVs, photo printers and computers.

Media Transfer Protocol (MTP)

With Media Transfer Protocol you can transfer media files and synchronize playlists when the phone is connected to the computer via the USB cable. It is possible to use MTP in Media transfer mode or Phone mode. MTP is supported by Windows Media Player 10 and 11 in both Windows XP and in Windows Vista.

Common Internet File System (CIFS)

The Common Internet File System enables file transfer to and from your phone. The phone acts as a file server which allows you to copy and move files between your PC and the server. You can use this feature when connected via the USB cable or the Bluetooth connection.

PlavNow™ 4.0

A unique and easy-to-use direct link for downloading content music, games, themes.

formats that are supported in the phone are possible to download. The music formats are MP3, MP4 WAV (Polyphonic 24 voices or more).


USB 2.0 mass storage

When connecting the phone to a computer using the provided USB cable, the memory in the phone appears on the computer screen as a removable disk along with other disks and drives in the computer. You can then quickly and easily drag and drop items such as images, documents, music and video clips between folders in the phone and the computer.

Personal Information Management (PIM)

Stay up-to-date with everyday events by synchronizing phone contacts, calendar appointments, tasks and notes in the phone with similar programs in a computer. The USB cable which comes with the phone, or the built-in Bluetooth feature can be used together with the synchronization software which is available on the CD in the kit or can be downloaded from www.sonyericsson.com/support. Smart search your contacts and call list for phone numbers or names from standby.

Images

















Technologies in detail

This chapter includes short descriptions of the technologies available in this product compared to other Sony Ericsson products.

Functions and features

The following includes short descriptions of the technologies available in W760 compared to W910 and W580.

Feature	W760	W910	W580
3D games	Yes	Yes	Yes
3G enabled	Yes	Yes	No
Technology that enables 3.6 Mbps data transfer			
A-GPS	Yes	No	No
Assisted GPS. Support for control plane and SUPL (Secure User Plane Location protocol)			
Activity menu (multi-tasking)	Yes with enhanced	Yes with enhanced	Yes
The user can easily handle missed calls, new text and picture messages, task reminders, shortcuts and get quick access to favourite Internet bookmarks	functionality for background applications.	functionality for background applications.	
Adobe™ Flash Lite	Yes	Yes	No
For impressive animated wallpapers, menus and other graphic elements			
Alarm clock	Yes	Yes	Yes
Set up to five individual times for single or recurring weekly alarms			
Auto rotate	Yes	No	No
The picture appears as a landscape or portrait picture, as it was originally taken			
Backlight	Yes	Yes	Yes
White backlight to illuminate the phone screen			
Battery	BST-38 3.6V, 930mAh, Lithium Polymer	BST-39 3.6V, 920mAh, Lithium Ion	BST-38 3.6V, 900mAh, Lithium Polymer
Battery charging time	Yes	Yes	Yes
At least 90% charged within 2 hours. Fully charged within 2.5 hours			

Feature	W760	W910	W580
Bluetooth™ audio streaming	Yes	Yes	Yes
Listen to audio in compatible devices			
Bluetooth™ audio video remote control	Yes	Yes	Yes
Control music player functions from a Bluetooth [™] accessory, and control the volume in the accessory from the phone			
Bluetooth™ PAN	Yes	Yes	Yes
Connect the phone to Internet using Bluetooth™			
Bluetooth™ wireless technology	Yes	Yes	Yes
Wireless connectivity between devices. Support for specification of the Bluetooth System, version 2.0			
Business card exchange	Yes	Yes	Yes
Exchange contact information			
Calculator	Yes	Yes	Yes
Calendar	Yes	Yes	Yes
Calendar with day, week and month views and reminders			
Call list	Yes	Yes	Yes
View calls made and received			
Camera	3.0 Megapixel	2.0 Megapixel	2.0 Megapixel
Camera file browser	Yes	Yes	No
Browse the picture folder without leaving the camera function			
Chinese input method	Yes	Yes	Yes
Chinese input methods: Text input methods based on Simplified or Traditional Chinese. Bopomofo, Pinyin or Stroke			
Clock	Yes	Yes	Yes
On-screen clock			
Co-branding area	TBD	47.4 × 6.75 mm	7.02 x 28.36 mm

Feature	W760	W910	W580
Code memo	Yes	Yes	Yes
A safe place to store all PIN codes and other information. To access Code memo, only one PIN code is needed			
Colour	Intense Black Rocky Silver Fancy Red	Noble Black Hearty Red	Style White Urban Grey Boulevard Black Metro Pink
Contacts	Yes	Yes	Yes
Phonebook with fields for name, phone and fax numbers, email address, Web site, title, company address info, personal address info and birthday			
Conference calls	Yes	Yes	Yes
Support for multiparty calling			
Connector A1 (Fast port)	Yes (side)	Yes (side)	Yes (side)
Content online	Yes	Yes	Yes
Downloadable pictures, games, themes, ringtones available online			
Copyright protection - DRM DRM (Digital Rights Management) features the rights and copy protection of downloaded content (audio, pictures, music tones, video, entertainment features such as games, Java applications etc)	Yes, OMA DRM 1.0 and OMA DRM 2.0 Microsoft DRM Janus, Microsoft DRM Camese, Windows DRM 10	Yes, OMA DRM 1.0 and OMA DRM 2.0	Version 2.0
Design	Slider form	Slider form	Slider form
Device Management (DM)	Yes	Yes	Yes
DM utilizes GPRS as a bearer (basic network connectivity needs to be in place) of the provisioning data and allows the operator to access the phone and check and send out different settings such as network connectivity (GPRS), email, MMS, WAP and Java™. Device Management is achieved by supporting OMA Client Provisioning 1.1 (CP) and OMA Device Management (DM) 1.2			

Feature	W760	W910	W580
Digital zoom			
Still image Video Video calls	2.5x 2.5x	2.5x 4x 2x	4x
Email	Yes	Yes	Yes
Built-in email client with inbox, outbox, compose/send and other functions			
EMS (Enhanced messaging)	Yes	Yes	Yes
Text messaging (SMS) with support for pictures and sounds			
Exterior description			
Size mm (Length x width x thickness/thinnest)	103 x 48 x 15.3 mm	99.5 x 50 x 12.5	99 x 47 x 14 mm
Fast port	Yes (side)	Yes (side)	Yes (side)
A system connector which enables faster data transfer between the phone and a computer			
File manager	Yes	Yes	Yes
Folder structure storage to help store and organize pictures, sounds and other phone content			
Flight mode	Yes	Yes	Yes
All phone radio transceivers are inactivated. Flight mode starts the phone so that only certain functions are available, such as the calendar, music player or a game. The phone may then be used in some areas, such as aeroplanes or hospitals, where full mobile phone functionality is not allowed			
Bluetooth™ function availability in Flight mode	Yes	Yes	Yes
FM radio with RDS	Yes	Yes	Yes
FM radio with presets, auto and manual search. The handsfree is used as an antenna. The radio can also be used as an alarm signal			
FM radio with TrackID™	Yes	Yes	Yes
Identify tracks playing on the radio			

Feature	W760	W910	W580
Games download	Yes	Yes	Yes
Replace in-phone games with new ones			
Games embedded	Yes	Yes	Yes
Geo tagging Photos are tagged with geo data and can be	Yes geo data from GPS	No	No
shown on a map			
Google Maps for mobile	Yes	No	No
Preloaded application with support for cell-id and GPS. View satellite imagery, find locations and calculate routes			
GPRS	Yes	Yes	Yes
General Packet Radio Services - a communications standard enabling packet data transfer of 21.4 Kbps per time slot. Multislot class 10 supported (max 5 simultaneously)			
GPS	Yes	No	No
A built-in Global Positioning System receiver			
High Speed Data			
HSCSD - a communications standard enabling GSM data transfer 14.4–28.8 Kbps.	No	No	Yes
HSDPA - High Speed Downlink Packet Access	Yes	Yes	No
Icon Desktop 12	Yes	Yes	Yes
A graphic icon desktop with 12 interactive icons			
Image formats			
2 MP (1600x1200 pixels)	Yes	Yes	Yes
1 MP (1280x960 pixels)	Yes	Yes	Yes
VGA (640x480 pixels)	Yes	Yes	Yes
Note: MP = Megapixel			

Feature	W760	W910	W580
Instant messaging (Wireless Village/My friends)	Yes	Yes	Yes
Chat - several people can take part in a mobile messaging session. Instant messaging/Wireless Village server community			
Internet blogging	Yes	Yes	Yes
Share up to full-size pictures over the Internet on your personal Web page. The size of uploaded pictures is dependent on customizations			
Internet browser			
cHTML - A mobile device adapted version of the standard Internet communications protocol HTML	Yes	Yes	Yes
Full HTML support, ECMA script, DOM level 1& 2, CSS1 & 2, etc.)	Yes	Yes	No
Progressive download of video files	Yes	Yes	No
Direct access to Search Internet and Enter address	Yes	Yes	Yes
Internet security	Yes, SSL/TLS	Yes, SSL/TLS	Yes, SSL/TLS
Encrypts confidential information such as credit card and bank account numbers. Necessary for mobile banking and shopping			
Java TM	Java 2, Micro Edition (J2ME™),	Java 2, Micro Edition (J2ME™),	Java 2, Micro Edition (J2ME™),
Support for J2ME™ technology	Java 3D™	Java 3D™	Java 3D™
Java Platform 8 (JP-8) Java Platform 9 (JP-9) Support for new Java programming features including instant messaging/chat, banking, payment transactions, user identification and authentication through secure encryption technology	Yes Yes	Yes No	Yes No

Feature	W760	W910	W580
Keys - navigation and more	8+1 navigation key	8+1 navigation key	4+1 navigation key
	multimedia (play/ stop) on navigation key centre	multimedia (play/ stop) on navigation key centre	multimedia (play/ stop) on navigation key centre
	2 selection keys	2 selection keys	2 selection
			Back
	C (Clear) key	C (Clear) key	Clear
	Activity menu key	Activity menu key	Activity menu Walkman® key Dedicated on/off key
	Red end key	Red end key	
	Green call key	Green call key	
Keys - keypad	12 alphanumeric	12 alphanumeric	12 alphanumeric
Keys - side and other	volume zoom key on right	volume/camera zoom key	Side volume keys
	Walkman® key on left	Walkman® key on top	
		separate on/off key	
		camera key	
	A/B gaming keys.	A/B gaming keys. A/B keys using the camera (landscape orientation): Upper key: - camera shoot mode - video clip length Lower key: - night mode on/ off	

Feature	W760	W910	W580
Lunar calendar	Yes	Yes	Yes
A calendar system used in China and other parts of Asia. A lunar month is determined by the period required for the moon to complete its full cycle of 29.5 days and is available in Chinese phone variants			
Media	Yes	Yes	No
A centre for all media content with sideways navigation and a string of pearls look and feel. You can view photos and video clips, listen to music			
Media player	See Walkman® player and Video player	See Walkman® player and Video player	See Walkman® player and Video player
Mega Bass™	Yes	Yes	No
An audio feature which enhances bass frequencies for better overall music experience			
Memory (built-in)			
Phone memory that is free to use (depending on software configuration/file content). Many applications share phone memory. The maximum amount of storage available for any one application, such as calendar entries, is affected by the amount of memory used by other applications, such as messaging, music, pictures and so on	Up to 40 MB	Up to 40 MB	Up to 12 MB
Memory card reader (slot)			
A slot for inserting a micro peripheral storage device	Yes	Yes	Yes
Memory card support: Memory Stick Micro™ (M2™) Memory Stick PRO Duo™	Yes No	Yes No	Yes No
Menu layout options	Yes	No	No
Possibility to change the layout of the icons in the main menu			
Menu shortcuts	Yes	Yes	Yes
A function making it possible to dedicate shortcuts to the most-used phone functions			

19

Feature	W760	W910	W580
MMS (Multimedia messaging)	Yes	Yes	Yes
Picture messaging with text and sound			
MMS video	Yes	Yes	Yes
Support in the phone for sending video using MMS			
Modem	Yes	Yes	Yes
Circuit Switched/Packet Switched Internet dial-up support			
MusicDJ™	Yes	Yes	Yes
A sampler music tool with MIDI drum, guitar, keyboard, bass and brass loops in different music styles, which can be combined to create polyphonic ringtones			
Music listening time	Up to 20 hours	Up to 20 hours	Up to 18 hours
Music tones	Yes	Yes	Yes
Music tones, also called master tones, are DRM protected music by original artists. Various digital audio formats are supported			
My friends	Yes	Yes	Yes
See Instant messaging			
Networks			
3G	UMTS 850/1900/	UMTS 2100	
HSDPA	2100		
GSM/GPRS/EDGE	HSDPA 850/900/ 2100	HSDPA 2100	
	GSM (R99), 850, 900, 1800, 1900, E-GSM 900	GSM (R99), 850, 900, 1800, 1900, E-GSM 900	GSM (R99), 850, 900, 1800, 1900, E-GSM 900
OMA Data Synchronization (SyncML)	Yes	Yes	Yes
A device communications standard that enables remote synchronization between devices	SyncML 1.2 SyncML 1.1 OMA DS 1 OMA DS 1.1.2	SyncML 1.2 SyncML 1.1	

Feature	W760	W910	W580
OTA settings	Yes	Yes	Yes
Internet, email and other settings can be sent over the air to the phone			
PhotoDJ™	Yes	Yes	Yes
A drawing tool in the phone where existing pictures can be altered			
Photo fix	Yes	Yes	No
Improves an under-exposed picture by calculating and adjusting the light balance			
PictBridge	Yes	Yes	Yes
Transfer images from the phone via USB cable directly to a printer, without a computer or photo editing software			
Picture gallery	Yes	Yes	Yes
A thumbnail image gallery where sections of several pictures can be viewed at the same time	Use photo tags	Use photo tags	
Picture phonebook	Yes	Yes	Yes
Add a picture to a stored contact. The picture appears on the screen when the stored contact calls			
PlayNow™ (direct link)	Yes	Yes	Yes
Listen to music before you purchase and download to your phone			
PlayNow™ Games (direct link)	Yes	Yes	No
Download and purchase games straight from the phone desktop			
Polyphonic voices	72	72	72
Predictive text input	Yes	Yes	Yes
Push email	Yes	Yes	Yes
RSS Reader	See Web feeds	See Web feeds	See Web feeds

Feature	W760	W910	W580
Screen			
Type: Size: Resolution: Technology: Colours displayed together: Backlight colour:	Full graphical 2.2 inches 320 x 240 pixels TFT, QVGA 262,000 (18 bit) White	Full graphical 2.36 inches 320 x 240 pixels TFT, QVGA 262,000 (18 bit) White	Full graphical 2.0 inches 320 x 240 pixels TFT, QVGA 262,000 (18 bit) White
Screen saver	Yes	Yes	Yes
SensMe™	Yes	No	No
Sort music tracks by mood			
Settings download (Ready to run) Set up functions, such as the Internet browser and picture messaging, that require a connection to the Internet. This function runs in the setup wizard or can also be chosen in the Settings menu. This function is not included in the setup wizard for customized phones	Yes	Yes	Yes
Shake control	Yes	Yes	Yes
Shake control for music and gaming SIM card lock	Yes	Yes	Yes
The possibility to protect the SIM card with a four-digit PIN code	103		103
SMS long (Text messaging)	Yes	Yes	Yes
Concatenated SMS text messaging			
Sleep mode	Yes	Yes	Yes
A power-saving feature that minimizes battery power consumed when the phone is in standby			
Smart search	Yes	No	No
Search for numbers and contacts from standby by using the number keys. Call or send messages from a filtered list of search results.			

Feature	W760	W910	W580
Sony Ericsson Remote Update Service	Yes	Yes	Yes
Download the latest operator-approved software, over the air, for your mobile phone			
Sony Ericsson Update Service	Yes	Yes	Yes
Connect the phone to an Internet-connected computer, download the latest operator-approved software from the web, www.sonyericsson.com/support and update the mobile device			
Sound recorder	Yes	Yes	Yes
A recording device in the phone that can record voice messages or other sounds			
Speakerphone	Yes	Yes	Yes
Speed dialing	Yes	Yes	Yes
Allocate contacts in the phone book to specific keys on the keypad			
Sports application	Yes	No	Yes
Tracks the distance travelled while running and walking. A calorie counter tracks the number of calories burned.			
Standby time	Up to:	Up to:	Up to:
GSM UMTS	400 hours 350 hours	400 hours 350 hours	350 hours
Status view	Yes	Yes	Yes
The screen shows the network being used, the time and other status information			
Stereo speakers	Yes	No	No
Stopwatch	Yes	Yes	Yes
SVG Tiny	Yes	Yes	Yes
Scalable Vector Graphics for impressive animated wallpapers, menus and other graphic elements	SVG Tiny 1.2	SVG Tiny 1.2	SVG Tiny 1.1
Synchronization PC	Yes	Yes	Yes
Synchronize and share phone content with a computer			

Feature	W760	W910	W580
Talk time	Up to:	Up to:	Up to:
GSM UMTS	9 hours 3.5 hours	9 hours 3.5 hours	9 hours
Tasks	Yes	Yes	Yes
Keeps track of important things you have to do			
Themes	Yes	Yes	Yes
Phone menu texts and background graphics			
Timer	Yes	Yes	Yes
Set the phone to alert after a specific time			
TrackID			
Music recognition	Yes	Yes	Yes
Text search for artist, album, track, lyrics etc	Yes	Yes	Yes
UMTS	Yes	Yes	No
A 3G technology standard capable of data transfer 3.6 Mbps			
USB connectivity support	Yes	Yes	Yes
Connect the phone to a computer with the USB cable provided and the memory in the phone appears on the computer screen as a mass storage device	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed
USB ethernet emulation	Yes	Yes	No
Connect to the Internet via the phone or the computer			
Vibrating alert	Yes	Yes	Yes
The phone vibrates when a call comes in			
Video blogging	Yes	Yes	No
Share video clips over the Internet on your personal Web page. The size of uploaded video clips is dependent on customizations			
VideoDJ™	Yes	Yes	Yes
Create video sequences by combining different clips and adding music and images			

Feature	W760	W910	W580
Video player Play video clips you have transferred or downloaded. Transfer video clips to another phone or a computer via available transfer method	Yes	Yes	Yes
Video streaming Real-time streaming of video, for example, live cam. Media can also be downloaded and saved in the phone memory	Yes	Yes	Yes
Viewfinder When using the camera, a picture can be previewed before it is captured	Yes	Yes	Yes
Voice control Voice answer, reject and call. Assign voice commands to items in the phonebook and when a call is made, the voice command can be used instead of pressing keys	Yes	Yes	Yes
Voicemail Support for voicemail operator service including automatic answering and message recording	Yes	Yes	Yes
Walkman® key Get direct access to you music files without having to browse the menus. Press the Walkman® key to gain direct access to the Walkman® player	Yes	Yes	Yes
Walkman® player 3.0 A digital music player with sideways navigation and a string of pearls look and feel. Play music you have transferred or downloaded. Play music files in the folder system, organize your favourite tracks into groups and create various playlists. A practical play/stop function makes it easier to listen to music any time, anywhere. You can also manage settings and more	Yes	Yes	Yes
WAP 1.2.1 A mobile Internet standard to access specially designed Internet sites	Yes	Yes	Yes

Feature	W760	W910	W580
WAP 2.0 XHTML	Yes	Yes	Yes
A mobile Internet standard to access specially designed Internet sites. WAP 2.0 supports colour and interactive lists			
Wayfinder Navigator™	Yes	No	No
A free three-month trial version of Wayfinder Navigator is included			
Web feeds	Yes	Yes	Yes
Frequently updated content delivered as feeds via a Web site, for example, news headlines in the browser			
Weight	107 g	86 g	94 g
Widgets	No	No	No
Shortcuts to your favourite features and services on your desktop			

Facts and figures

This chapter offers readers a detailed listing of all the technical data relating to the product. Comprehensive descriptions of performance and technical characteristics are presented in table format for quick and easy access.

Technical specifications

General technical data

System	Quad-band GSM Release 99 recommendations, GSM-850 GSM 900, e-GSM 900, GSM 1800, GSM 1900 Single-band UMTS 2100 HSDPA, cat 6 supported
Speech coding	FR, EFR, AMR supported where available, for high speech quality.
GSM SIM/ UMTS USIM card	GSM SIM - GSM 11.11, UMTS SIM - 3GPP™ TS 31.101. Small plug-in card, 1,8 V and 3 V.
Memory	Up to 40 MB internal (depending on software configuration/file content) + extra slot for supported memory cards.
Data transfer speeds	Up to 3.6 Mbps (downlink, HSDPA, cat 6) Up to 384 Kbps (uplink, WCDMA R99)

Performance and technical characteristics

Property	GSM 850	GSM 900/ E-GSM 900
Frequency range (MHz)	TX: 824-849 RX: 869-894	TX: 880-915 RX: 925-960
Channel spacing	200 kHz	200 kHz
Number of channels	124 Carriers *8 (TDMA)	174 Carriers *8 (TDMA)
Modulation	GMSK	GMSK
TX Phase Accuracy	< 5° RMS Phase error (burst)	< 5° RMS Phase error (burst)
Duplex spacing	45 MHz	45 MHz
Frequency stability	+/- 0.1ppm	+/- 0.1ppm
Voltage operation (nominal)	3.6 V	3.6 V
Transmitter RF power output	33 dBm Class 4 (2 W peak)	33 dBm Class 4 (2 W peak)
Transmitter Output impedance	50 ohm	50 ohm
Transmitter Spurious emission (according to specification)	< -36 dBm up to 1 GHz < -30 dBm over 1 GHz	< -36 dBm up to 1 GHz < -30 dBm over 1 GHz
Receiver RF sensitivity	Better than - 104 dBm	Better than - 102 dBm
Receiver RX Bit error rate	< 2.4%	< 2.4%

Property	GSM 1800	GSM 1900
Frequency range (MHz)	TX: 1710–1785 RX: 1805–1880	TX:1850-1910 RX:1930-1990
Channel spacing	200 kHz	200 kHz
Number of channels	374 Carriers *8 (TDMA)	299 Carriers *8 (TDMA)
Modulation	GMSK	GMSK
TX Phase Accuracy	< 5° RMS Phase error (burst)	< 5° RMS Phase error (burst)
Duplex spacing	95 MHz	80 MHz
Frequency stability	+/- 0.1ppm	+/- 0.1ppm
Voltage operation (nominal)	3.6 V	3.6 V
Transmitter RF power output	30 dBm Class 1 (1 W peak)	30 dBm Class 1 (1 W peak)
Transmitter Output impedance	50 ohm	50 ohm
Transmitter Spurious emission (according to specification)	< - 30 dBm	< - 30 dBm
Receiver RF sensitivity	Better than – 102 dBm	Better than - 102 dBm
Receiver RX Bit error rate	< 2.4%	< 2.4%

USSD technical data

Feature	Support
USSD support	GSM Phase 1/2 (Cross-phase compatibility)
Mode support	UI-mode supported SAT initiated USSD supported
UI-mode details	 It is possible to scroll the text up and down in USSD messages. It is possible to highlight embedded numbers and take actions accordingly.

GPRS technical data

Dimension	Support
Compatible GPRS and SMG specifications	Release 99 according to ETSI specification
Data rates	Coding scheme CS-1: 9 Kbps CS-2:13,4 Kbps CS-3:15,6 Kbps CS-4:21,4 Kbps (network-dependent).
Data rates EDGE (per time slot)	Modulation & coding scheme (MCS) MCS-1 (GMSK): 8,0 Kbps MCS-2 (GMSK): 11,4 Kbps MCS-3 (GMSK): 14,8 Kbps MCS-4 (GMSK): 17,6 Kbps MCS-5 (8-PSK): 22,4 Kbps MCS-6 (8-PSK): 29,4 Kbps MCS-7 (8-PSK): 44,8 Kbps MCS-8 (8-PSK): 54,4 Kbps MCS-9 (8-PSK): 59,2 Kbps
Medium Access Modes	Dynamic allocation
Support of Packet Control Channels (PBCCH/PCCCH)	Yes
Network operation mode	NOM I, II, III
Support of GPRS/CS combined procedures	Yes
Network control mode	NC0 and 2
Support of access in 2 phases	Yes
Support of PRACH on 11 bits	Yes
Support of GPRS re-selection C31/C32	Yes
Support of static and dynamic addressing	Yes
Support of power control Uplink and Downlink	Uplink = yes, Downlink is a network feature.
Support of ciphering algorithms	GEA1, GEA2, GEA3
Support of compression algorithms	Yes, V42bis and IP header compression.
Mode of operation	Class B and Class C modes of operation supported.
R Reference point	Physical layer: Support of RS232 PPP is supported as L2 layer in the R reference point Authentication algorithms PAP, CHAP supported

Dimension	Support
IP connectivity	PDP type IP is supported IP termination in mobile or TE (laptop, PDA) supported
PDP context	10 PDP context descriptions stored in mobile PDP context description is edited via application in mobile, AT-command or via OTA Simultaneous PDP contexts are supported, maximum 4.
SIM	GPRS aware, as well as non-GPRS aware; SIM cards are supported.
AT commands	Some of the supported commands: AT+CGDCONT - DEFINE PDP CONTEXT AT+CGEQREQ - Quality of Service Profile (REQUESTED) AT+CGEQMIN - Quality of Service Profile (Minimum Acceptable) AT+CGATT - PACKET DOMAIN SERVICE ATTACH OR DETACH AT+CGACT - PDP CONTEXT ACTIVATE OR DEACTIVATE AT+CGDATA - ENTER DATA STATE
	For more information, see www.sonyericsson.com/developer .

EDGE technical data

Dimension	Support
Compatible GPRS and SMG specifications	Release 99 according to ETSI specification
Data rates	Maximum rates are 240 kbps downlink and 120 kbps uplink.
Medium Access Modes	Dynamic allocation
Support of Packet Control Channels (PBCCH/PCCCH)	Yes
Network operation mode	NOM I, II, III
Support of GPRS/CS combined procedures	Yes
Network control mode	NC0 and 2
Support of access in 2 phases	Yes
Support of PRACH on 11 bits	Yes
Support of GPRS re-selection C31/C32	Yes
Support of static and dynamic addressing	Yes
Support of power control Uplink and Downlink	Uplink = yes, Downlink is a network feature.

Dimension	Support
Support of ciphering algorithms	GEA1, GEA2, GEA3
Support of compression algorithms	Yes, V42bis and IP header compression.
Mode of operation	Class B and Class C modes of operation supported.
R Reference point	Physical layer: Support of RS232 PPP is supported as L2 layer in the R reference point Authentication algorithms PAP, CHAP supported
IP connectivity	PDP type IP is supported IP termination in mobile or TE (laptop, PDA) supported
PDP context	10 PDP context descriptions stored in mobile PDP context description is edited via application in mobile, AT-command or via OTA Simultaneous PDP contexts are supported, maximum 4.
SIM	GPRS aware, as well as non-GPRS aware; SIM cards are supported.
AT commands	Some of the supported commands: AT+CGDCONT - DEFINE PDP CONTEXT AT+CGEQREQ - Quality of Service Profile (REQUESTED) AT+CGEQMIN - Quality of Service Profile (Minimum Acceptable) AT+CGATT - PACKET DOMAIN SERVICE ATTACH OR DETACH AT+CGACT - PDP CONTEXT ACTIVATE OR DEACTIVATE AT+CGDATA - ENTER DATA STATE
	For more information, see www.sonyericsson.com/developer .

SIM AT services supported

Service		Mode	Support
CALL CONTROL BY SIM			Yes
MO SMS CONTROL			Yes
DATA DOWNLOAD TO SIM		Cell Broadcast SMS	Yes Yes
DISPLAY TEXT		Text of up to 240 characters (120 UCS2 coded).	Yes
	bit 1:	0 = normal priority	Yes
		1 = high priority	Yes
	bit 8:	0 = clear message after a delay	Yes
		1 = wait for user to clear message	Yes

Service		Mode	Support
GET INKEY		General: The GET_INKEY requires that the user confirms his/her choice	Yes
	bit 1:	0 = digits (0-9, *, # and +) only	Yes
		─ 1 = alphabet set	Yes
	bit 2:	0 = SMS default alphabet	Yes
		1 = UCS2 alphabet	Yes
	bit 3:	0 = character sets defined by bit 1 and bit 2 are	Yes
		 enabled 1 = character sets defined by bit 1 and bit 2 are disabled and the Yes/No response is requested 	Yes
GET INPUT		General: No. of hidden input characters	252
	bit 1:	0 = digits (0-9, *, # and +) only	Yes
		─ 1 = alphabet set	Yes
	bit 2:	0 = SMS default alphabet	Yes
		1 = UCS2 alphabet	Yes
	bit 3:	0 = ME may echo user input on the screen 1 = user input not to be revealed in any way (see note)	Yes
			Yes
	bit 4:	0 = user input to be in unpacked format 1 = user input to be in SMS packed format	Yes
			Yes
	bit 8:	0 = no help information available	Yes
		1 = help information available	Yes
LAUNCH BROWSER			Yes
MORE TIME			Yes
PLAY TONE			Yes
POLLING OFF			Yes
POLL INTERVAL			Yes
PROVIDE LOCAL INFORMATION		'00' = Location Information (MCC, MNC, LAC and Cell Identity)	Yes
		'01' = IMEI of the ME	Yes
		'02' = Network Measurement results	Yes
		'03' = Date, time and time zone (DTTinPLI)	Yes
		'04' - Language setting	Yes
		'05' - Timing advance	Yes

Service		Mode	Support
REFRESH		General: The reset option requests the user to wait while the phone restarts	Yes
		'00' = SIM Initialization and Full File Change Notification	Yes
		'01' = File Change Notification	Yes
		'02' = (U)SIM Initialization and File Change Notification	Yes
		'03' = (U)SIM Initialization	Yes
		'04' = (U)SIM Reset	Yes
		'05' = SIM/USIM Application Reset	Yes
		'06' = 3G Session Reset	Yes
SELECT ITEM			Yes
SEND DTMF			Yes
SEND SHORT MESSAGE	bit 1:	0 = packing not required	Yes
OEND OO		1 = SMS packing by the phone required	Yes
SEND SS			Yes
SEND USSD			Yes
SET UP CALL		General: Capability configuration	Yes
		Set-up speech call CallParty Subaddress DTMF support	No Yes
		'00' = set up call, but only if not currently busy on another call	Yes
		'01' = set up call, but only if not currently busy on another call, with re-dial	Yes
		'02' = set up call, putting all other calls (if any) on hold	Yes
		'03' = set up call, putting all other calls (if any) on hold, with re-dial	Yes
		'04' = set up call, disconnecting all other calls (if any)	Yes
		'05' = set up call, disconnecting all other calls (if any), with re-dial	Yes
SET UP EVENT LIST		'00' = MT call	Yes
		'01' = Call connected	Yes
		'02' = Call disconnected	Yes
		'03' = Location status	Yes

Service	Mode	Support
	'04' = User activity	Yes
	'05' = Idle screen available	Yes
	'06' = Card reader status	Not Applicable
	'07' = Language selection	Yes
	'08' = Browser termination	Yes
	'09' = Data available	Yes
	'OA' = Channel status	Yes
SET UP IDLE MODE TEXT		Yes, 1 row of text is supported
SET UP MENU		Yes
TIMER MANAGEMENT		Yes
OPEN CHANNEL		Yes
CLOSE CHANNEL		Yes
RECEIVE DATA		Yes
SEND DATA		Yes
GET CHANNEL STATUS		Yes

User Interaction with SIM AT

Display text

Text of up to 240 characters (120 UCS coded) is supported.

Text clearing times are 5-20 seconds with a 60-second time-out limit for the user to clear the text. 'Key' responses:

- 'End key' Proactive session terminated by user.
- 'Back' Backward move in proactive session.

MSK key clears the screen if the command is performed successfully.

Get inkey

Prompt for a one-character input. Pressing 'Ok' without entering a character gives warning message "tEXT TOO SHORT". 'Key' responses:

- · 'C' clears current character.
- 'End key' terminates the proactive session.
- 'Back' Backward move in proactive session.
- 'OK' Command performed successfully.

Get input

Prompt for character input. The phone will refuse to accept further input when maximum response length is exceeded. UI Maximum Response lengths:

- Digits Only 160 characters.
- SMS default alphabet characters 160 characters.
- Hidden Characters (digits only) 20 characters. 'Key' responses:
- 'C' clears current character.
- 'End key' terminates the proactive session.
- 'Back' Backward move in proactive session.
- 'OK' Command performed successfully.

Select item

Scroll to highlight item for selection. 'Key' responses:

- Navigational key press down Scroll down list.
- Navigational key press up Scroll up list.
- 'End key' terminates proactive session.
- 'Back' Backward move in proactive session.
- 'OK'- Command performed successfully.

Send short message

Alpha Identifier text is displayed, if it is present. Otherwise, there is no user indication if the customization for default text is not enabled. If the customization for default text is enabled, and there is no Alpha Identifier, default message "Sending message" is displayed. Default responses are "Message failed" or "Message sent" for the customization enabled case with no Alpha Identifier.

'Key' responses:

• End key or 'Back' ends the proactive session.

Set up call

If you are on a call when the commands 'Set up Call', 'putting all other calls on hold' are sent, the user will see the text 'Let SIM card setup call'. If 'OK' is pressed the current call will be put on hold and the new call set up. If the phone is on a call when the command 'Set Up Call, disconnecting all other calls' is sent, the user will see the text 'Let SIM card setup call' user information text. If the 'OK' key is pressed the current call will be disconnected and the new call set up.

Set up menu

Incorporates a SIM Application Toolkit Menu Item into the phone's main menu structure.

If an Alpha Identifier is supplied in the Set Up Menu command, this is used as the SIM AT entry in the ME's main menu. If null alpha identifier is supplied and several items are found in the menu, a default title, "ONLINE SERVICES", is used. If the SIM AT Menu Item is selected by pressing 'Select', all the items sent in the Set Up Menu command will be available for selection, in the same way as the Select Item command.

Entertainment

Audio and Video

File types	Formats	Extensions
Audio	MP4	.mp4
(All listed audio file formats are	MP3	.mp3
supported ringtone file formats)	M4A	.m4a
	3GPP™	.3gp
	AMR-NB	.amr
	AMR-WB	.awb, .amr
	WAV	.wav
	General MIDI 1	.mid
	SP-MIDI	.mid
	RealAudio® 8	.ra, .rm
	iMelody	.imy
	XMF	.xmf
	WMA 8, 9 and Pro LBR	.wma
Video	MP4 (video: MPEG4, audio: AAC or AMR)	.mp4
(including audio part)	3GPP [™] (video: MPEG4 or H.263, H.264, audio:	
(AAC or AMR)	- 31-
	RealVideo® 8, 9, 10	.rv, .rm
	WMV	wmv, .asf
Streaming transport		,
Streaming transport	RTSP according to 3GPP™	
Video encoding	H.263 Profile 0, Level 10	
	MPEG-4 Simple Visual Profile Level 3	
Video decoding	MPEG-4 Simple Visual Profile Level 0, 1, 2	
•	H.263 Profile 0, Level 10, 20, 45	
	H.264 Baseline Profile (Main subset), Levels 1b,	
	1.1	
	RealVideo® 8, 9 and 10	
Audio encoding	AMR-NB	
S	AAC (for video recording only)	
Audio decoding	MP3 (MPEG-1/2/2.5, audio layer 3)	
3	AAC	
	AAC+	
	eAAC+	
	AMR-NB	
	AMR-WB	
	AMR-WB+	
	RealAudio 8 (depending on configuration)	
	WMA version 2,7,8: Class 1	
	WMA version 9: Level 3	
	WMA Pro (profile MO) GM	
	GML	
	SP-MIDI.	

Java™

JSR-75 PDA/File JSR-82 Bluetooth Wireless Technology API JSR 118 MIDP 2.1 JSR-120 Wireless Messaging API JSR-205 Wireless Messaging API JSR-135 MMAPI 1.1 JSR 139 CLDC 1.1 JSR-172 Web Services JSR-177 Security and Trust Services JSR-179 Location API (inbuilt GPS) JSR-180 SIP JSR-184 Mobile 3D Graphics JSR-185 Java™ Technology for the Wireless Industry JSR-211 Content Handler JSR-226 SVG JSR-239 Payment JSR-239 Payment JSR-239 Mobile Internationalization JSR-239 OpenGL ES JSR-248 Mobile Services Architecture JSR-256 Mobile Services Architecture JSR-256 Mobile Services API (accelerometer) Nokia UI API Mascot Capsule Ver.3 JSR-139 OpenGL ES JSR-139 OpenGL ES JSR 184 Mobile 3D Graphics API for J2ME™	Feature	Functionalities
JSR-139 OpenGL ES	Java™ Platform, Micro Edition	 JSR-82 Bluetooth Wireless Technology API JSR 118 MIDP 2.1 JSR-120 Wireless Messaging API JSR-205 Wireless Messaging API 2.0 JSR-135 MMAPI 1.1 JSR 139 CLDC 1.1 JSR-172 Web Services JSR-177 Security and Trust Services JSR-179 Location API (inbuilt GPS) JSR-180 SIP JSR-184 Mobile 3D Graphics JSR 185 Java™ Technology for the Wireless Industry JSR-211 Content Handler JSR-226 SVG JSR-229 Payment JSR-234 Adv Multimedia Supplements JSR-238 Mobile Internationalization JSR-239 OpenGL ES JSR-248 Mobile Services Architecture JSR-256 Mobile Sensor API (accelerometer)
	Java 3D	·

Imaging/Messaging

3.0 Megapixel camera

Facts and figures	
Digital still camera (DSC)	
Truecolour	Yes
Digital zoom	Main camera: 2.5x zoom (in VGA mode).
Auto focus	No
Photo fix	Improves an under-exposed picture by calculating and adjusting the light balance.

Facts and figures	
Shoot modes	Normal, Panorama, Frames, Burst.
Night mode	Off, On.
Self-timer	Off, On
Effects	Off, Black & white, Negative, Sepia.
White balance	Auto, Daylight, Cloudy, Fluorescent, Incandescent.
Picture quality	Normal, Fine.
Review	On, Off
Shutter sounds	Yes
Auto rotate	Off, On
Reset file number	Yes
Save to memory	Memory card, phone memory
Picture sizes (resolution)	2 MP (1600x1200 pixels) 1 MP (1280x960 pixels) VGA (640x480 pixels) Note: MP = Megapixel.
Video recorder	
Video size (resolution)	QVGA 320x240pixels
Frame rate	30 fps (frames per second)
Digital zoom	Main camera: 2.5x zoom
Video clip length	Up to 2 hours, for picture message.
Night mode	Off, On
Self-timer	Yes, same as camera
Effects	Yes, same as camera.
White balance	Yes, same as camera.
Microphone	Off, On.
Reset file number	Yes, same as camera.
Save to memory	Yes, same as camera.

Images

Images can be shared via Bluetooth connection, MMS, email message, computer file transfer or memory card.

The image size is limited by the amount of free RAM.

Formats	Details
JPEG	ISO/IEC JPEG Baseline DCT Progressive DCT Non-differential Unlimited size
GIF	87a, 89a, support for interlacement, animation and transparency Unlimited size
ВМР	Windows® bitmap format
PNG	Unlimited size
SVG	SVG Tiny 1.2
WBMP	Wireless bitmap Unlimited size

Supported character sets

Decoding text (Incoming MM	S)	
US-ASCII	UTF-16	
ISO-8859-1	KOI8-R	
ISO-8859-2	GB2312	
Windows-1251	GB 18030	
ISO 10646 (UCS-2)	GB 13000	
UTF-7	BIG-5	
UTF-8		
Coding text (Outgoing MMS)		
UTF-8		

Short Messaging Service

Feature	Support
SMS Service centre Number	It is possible to pre-load the SMS Service centre Number.
Pictures	It is possible to insert a picture or an icon into the text message. EMS compliant mobile phones will be able to see the picture correctly.
Reply to messages	It is possible to reply to received messages by SMS, MMS, voice message and email.
Input methods:	Predictive writing and multitap.

Feature	Support
Copy and paste words	Yes
Teaching of predictive words that are not in the predictive dictionary	Yes
Possibilities when creating a message:	
Save a sent message in a "Sent items" folder	Yes
Insert a line in the message	Yes
Assign a validity period to the message	Yes
Use predefined messages	Yes
Possibilities when receiving a message:	
Reply to the sender	Yes
Forward the message	Yes
Save the message on SIM card	Yes
Get delivery time and date	Yes
Possibilities of the previously sent message:	
Delivery report of the message	Yes (if requested when sending).
Forward the message	Yes
Save the message on the SIM card	Yes
Know the remaining capacity storage	Yes, > 95% full warning, capacity on SIM when saving to SIM.
Possibilities of the previously received message:	
Reply to the sender	Yes
Save the message in the inbox	Yes
Forward the message	Yes
Know the remaining capacity storage	Yes, > 95% full warning, capacity on SIM when saving to SIM.
Supported ways for replying to a received SMS:	
Via SMS, MMS, voice message, email	Yes
Via phone call (set up a call to the number contained in the message body)	Yes
Via Web browser (go to the Web address contained in the message body)	Yes
Via USSD session	No

Feature	Support
Print via infrared	No
Possibility to enable the user to send an SMS to a list of recipients	Yes
Possibility to write an email address as a recipient address	Yes, if email gateway is present.
SMS storage	In the phone memory, on the SIM card, or on memory card
Nokia Picture Messaging	Yes

Enhanced Messaging Service

Feature	Support
Level of compliance supported by the phone regarding the specifications described in release 99.	Enhanced Messaging Service (EMS) according to the standard 3GPP [™] TS 23.040 v4.3.0, with the addition of the ODI feature from 3GPP [™] TS 23.040 v5.0.0.
Number of messages that the phone is able to handle to generate a concatenated message	10
Outgoing messages	It is possible to: See how many short messages an EMS message consists of before sending it. Choose whether to send the message or not after writing it.
Incoming messages	 A signal is heard once all parts of the message have been received or when a time-out occurs. It is possible to re-use the content of an EMS message. Sounds, pictures, and animations can be inserted in a new message, if the object is not protected using ODI.
Delivery report for concatenated messages	A receipt is received in the phone when all parts of a concatenated message have been delivered if a delivery report is requested when it is being sent.
Insert objects	It is possible to add pictures, animations and sounds to an EMS message.
Sounds	Chimes high, chimes low, ding, tada, notify, drum, claps, fanfare, chords high, chords low.
I-melody	Yes, version 1.2.
Melodies	 It is possible to: Receive (always), send via EMS (if not copyright protected). Download melodies and commercial tunes from the Web.

Feature	Support
WBMP	Yes
Picture sizes	16x16, 32x32 pixels, variable size in black and white.
Pictures	 It is possible to: Edit pictures using PhotoDJ™. Receive (always), send via EMS (if not copyright protected). Download pictures from the Web.
Animations	There is support for the following animations: Angry, Crying, Flirty, Happy, Kiss, Sad, Tongue, Wow, Confused, Devil, Glasses, Indifferent, Laughter, Sceptical and Wink, as defined in 3GPP™ TS 23.040 v4.3.0. It is possible to send and receive animations.
TP-PID field value given by the phone before sending an EMS message	0x00

Multimedia Messaging Service

Feature	Support
MMS/CSD parameters and MMS/GPRS parameters placement	MMS is bound to a MMS profile. A MMS profile is bound to a Data account. A data account contains either CSD parameters or GPRS parameters and possibly proxy settings.
Possibility to pre-configure the MMS parameters in factory	MMS/CSD: YesMMS/GPRS: Yes
Possibility to configure the MMS parameters by OTA provisioning	MMS/CSD: YesMMS/GPRS: Yes
Possibility for all the parameters from the parameters set to be OTA provisioned at the same time	MMS/CSD: YesMMS/GPRS: Yes
Possibility for only one parameter, in the set of parameters, to be OTA provisioned	MMS/CSD: No MMS/GPRS: No
Supplier indication of realized interoperability tests between its MMS User Agent and MMS Relay/Server from other suppliers	Yes
Support of a standard procedure for OTA provisioning of MMS parameters	OMA provisioning 1.1

Feature	Support
Functionalities that the user is able to set during message composition:	 Message subject Message priority Email recipient address Message Cc, Bcc recipient(s) address(es) Delivery report request Read report request MSISDN recipient address Delivery time Validity period
From where can the user insert multimedia elements into multimedia messages:	File Manager Photo album Camera Contacts Calendar Task Note Browser (vBookmark) VideoDJ TM PhotoDJ TM Sound recorder
Possibility for sent messages to be memorized into a folder in phone memory	Yes
Actions that the user can perform after message retrieval:	 Reply to the sender of the message SMS/MMS Reply to the sender and to Cc, Bcc people SMS/MMS Forward the message Delete the message Save message in a dedicated folder Call the sender of a message Save item Mark as unread Details
Multimedia codecs/formats supported for audio	AAC, AMR, MPEG Layer 3, Real 8, AWB, WAV, MP4, MIDI, iMelody, 3GPP™, XMF, M4A, WMA.
Multimedia codecs/formats supported for video	MPG4, 3GPP™, SDP, Real 8, WMV.
Multimedia codecs/formats supported for image	JPEG, GIF87, GIF89A, PNG, SVG, WBMP, BMP
Supported formats for message presentation:	 message body + attachments (email presentation) SMIL version as described in OMA MMS IOP document version 1.2
Maximum message size that can be handled by the phone for message	Content Class and Creation mode are applied. Maximum size can also be customized.
Maximum number of objects supported in message	30 objects is standard. It is possible to increase the number through configuration.
	5,000 characters/text

Email client technical data

Feature	Support
Bearer type UMTS (IP)	Yes
Bearer type GSM Data (IP)	Yes, GPRS, HSCSD, ISDN and analog
Character sets	ISO: ISO-8859-1, ISO-8859-2, ISO-8859-5, ISO-8859-7, ISO-8859-9, ISO-8859-10 Windows: Windows-1251, Windows-1252, Windows-1254, Windows-1255, Windows-1258 US-ASCII Unicode: UTF-7, UTF-8, UTF-16 Japanese: Shift_JIS, ISO-2022-JP Cyrrilic: KOI8-R Simplified Chinese: GB2312, GB18030 Traditional Chinese: Big5 Thai: TIS-60
OTA provisioning solution	OMA Client Provisioning 1.1
Protocols	POP3 and IMAP4
Push email	IMAP Idle (extension of IMAP4Rev1), OMA Email Notification 1.0 and scheduled checking, Exchange ActiveSync® (EAS)
Secure email	SSL/TLS, both port methods (POPS/IMAPS) and STARTTLS
HTML mail Yes (tags removed)	
Thumbnailed image attachments	Yes
Message management	User selectable inbox size, save messages to Memory Stick, arrange messages by date, size, and Email address
ESMTP	Yes
Background sending	Yes

Connectivity

Bluetooth™ technical data

Dimension	Support	
Bluetooth capability statement	This phone supports Bluetooth Specification, version 2.0 with enhanced data rate (EDR).	
Bluetooth profiles	Advanced Audio Distribution Profile Audio/Video Remote Control Profile Basic Imaging Profile Dial-up Networking Profile File Transfer Profile Generic Access Profile Generic Object Exchange Profile Handsfree Profile Headset Profile Headset Profile Human Interface Device (HID) Profile Object Push Profile Personal Area Networking Profile Phonebook Access Profile Serial Port Profile Synchronization Profile SyncML OBEX binding	
Connectable devices	All products supporting Bluetooth spec. 1.1, or higher, and at least one of the profiles above.	
Coverage area	Varies due to radio performance between the connected devices and the occurrence of obstacles. Up to 10 metres (33 feet)	
Transmission power	Class 1, typical +3dBm or 2mW	
Frequency band	2.4 GHz - the unlicensed ISM band.	
Power consumption	 GSM host processor excluded: Standby, Bluetooth On mode: <0.6mA Voice to headset (HV3 master): 12 mA (8 mA with EDR functionality, 2EV3 master). Dependent on various parameters such as if the phone is master or slave. Data mode average: 29 mA at 172.8 Kbps symmetrical (DH1). 	
Data transmission rate	 Data speed at least 800 kbit/s on a Dial-up Networking connection (requires access to HSDPA network and may be limited by capacity situation on the 3G base station) Data speed typically 1.0 Mbit/s on an Object Push connection between two phones (in case of using similar phones and if no other Bluetooth devices are connected) 	

OMA Data Synchronization (SyncML) technical data

Feature	Support for Sync ML
SyncML compliance	The phone is fully SyncML compliant, having passed SyncML Conformance testing. OMA DS 1.2 or OMA DS 1.1.2 is used depending on configuration and both are supported in Serveralerted synchronization.
Basic data formats	Contacts: vCard 2.1, Calendar: vCalendar 1.0 (vEvent) Tasks: vCalendar 1.0 (vTodo) Notes: text/plain, Bookmarks:vBookmark 1.0
Possibility for operators to extend SyncML functionality.	The device may be configured to include preset SyncML settings, and to control whether SyncML 1.1 or SyncML 1.2 will be used.
Transport method for SyncML messages.	HTTP, HTTPS,OBEX (USB, Bluetooth)
Possibility for the user to configure login parameters (for example, username and password) to access the remote database.	Yes
Configuration parameters that can be entered/modified by the user.	Server URL, Username, User PWD, Paths to databases (Calendar, Contacts, Notes, Tasks and Bookmarks), UserID and PWD for databases, Databases to be synchronized (On/Off), Internet profile, Synchronization interval, Server ID and Server PWD, permission to allow server-alerted synchronization and roaming options. Can be provisioned with OMA Client provisioning v1.1 and OMA Device Management v1.2
Ability to deal with multiple servers.	Yes
Ability to perform conflict resolution actions.	Yes

Microsoft® Exchange ActiveSync

Feature	Support for Exchange ActiveSync
Protocol version	The phone supports version 2.5 of Microsoft Exchange ActiveSync.
Supported applications	Email, Calendar, Phonebook
Transport method used	HTTP, HTTPS
Possibility for the user to configure login parameters for remote server	Yes
Configuration parameters that can be entered/modified by the user	Server URL, username, domain name, password, applications to sync, email message size, email attachment size, email date range, message alert sound, calendar date range, interval sync, secure connection, roaming option.

Feature	Support for Exchange ActiveSync
Ability to use multiple servers	No
Ability to perform conflict resolution	No

Web browser technical data

Feature	Support in the browser
Bookmarks	Yes, with folders and sorting supported.
Bookmark Export/Import	Yes, can be sent and received using vBookmark format using Bluetooth™, SMS, MMS and email.
Browser compliancy	The Web browser is compliant with the following standards: HTML ver. 4.01 XHTML Basic 1.0 XHTML 1.1, Module-based XHTML XHTML Mobile profile WML 1.3 Cascading Style Sheets, level 2 revision 1, CSS 2.1 Specification Wireless CSS Specification, Version 26-Oct-2001 (WAP-239-WCSS-20011026-a) ECMA-script according to specifications found at http://www.ecma-international.org/publications/standards/Stnindex.htm ECMAScript Mobile Profile AJAX (Asynchronous JavaScript and XML) Document Object Model Level 2 (DOM 2) Scalable Vector Graphics, Mobile SVG Profile: SVG Tiny, version 1.2 For further details, see the WAP User Agent strings and profiles for Sony Ericsson mobile phones Developers guidelines at Developer World http://developer.sonyericsson.com/
Browser version	Access NetFront 3.4
Cache	Yes (size 2 MB).
Character sets *	Most standard character sets, among others UTF-8 (Default), UTF-16, USASCII, Latin1, UCS2. For updated and detailed information, see the WAP User Agent strings and profiles for Sony Ericsson mobile phones Developers guidelines at Developer World http://developer.sonyericsson.com *) When creating pages, it is recommended to always save the page contents as UTF-8.
Clear cache	Yes, persistent. By user interaction, at SIM card change or master reset.
Frames	Full Frame support: Frames, IFrames

Feature	Support in the browser
Image formats and animations	GIF (interlaced and non-interlaced) WBMP, JPEG, PNG, BMP and SVG. Animated GIFs, animated SVG and Flash.
Schemes	wtai, mailto:, smsto:, tel, rtsp, http, https
Streaming	
Web feeds	Ticker, podcasts, enclosures, OPML import. No support for ATOM
User agent profile	
User Agent Profiles	Yes, list of client characteristics - for example screen size. For details, see the WAP User Agent strings and profiles for Sony Ericsson mobile phones Developers guidelines at Developer World http://developer.sonyericsson.com
URL sent pointing to the UA profile at the beginning of browser session	Yes. For details, see the WAP User Agent strings and profiles for Sony Ericsson mobile phones Developers guidelines at Developer World http://developer.sonyericsson.com
Download	
OMA download functionality	Yes
HTTP GET solution to download content/ Uses browser for download	Yes
Other download content	Yes. No download limit when using HTTP protocol
Download application/product memory check	Yes
Downloaded object solution	Yes. The user is informed where the content is saved and asked if it should be used at once or later
UAP indication for downloading	Yes
Other features	Yes. Store, delete, forward, use, manage
Object formats	All formats can be downloaded and stored, but only formats supported by the phone can be used by the phone
Resume	Yes
Background download	Yes
Progressive download	Yes
Streaming	Yes
Browser navigation	
Selection keys	Yes. Two selection keys and centre navigation key
Separate/dedicated back or erase keys	Yes
Display backlight on when browsing	Yes

"http://" string displayed automatically when entering URLs "www" added automatically when entering URLs Combined Search/Go To input field changes appearance (Search or Go to) depending on user input. "www", ".com" and other URL syntax can be used to trigger the Go To appearance Internet network features Bluetooth (as local connection) Infrared (as local connection) No Network settings PPP Authentication Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes USB (as local connection) Yes PUSH Content types Service Indication (SI) Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Feature	Support in the browser
automatically when entering URLs "www" added automatically when entering URLs Combined Search/Go To input field changes appearance (Search or Go to) depending on user input. "www", ".com" and other URL syntax can be used to trigger the Go To appearance Internet network features Biuetooth (as local connection) Yes Infrared (as local connection) No Network settings Yes PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance (Search or Go to) depending on user input, "com" and other URL syntax can be used to trigger the Go To appearance Intelligent input field changes appearance Intelligent input f	Predictive writing	Yes
when entering URLs Combined Search/Go To input field changes appearance (Search or Go to) depending on user input. "www", ".com" and other URL syntax can be used to trigger the Go To appearance Internet network features Bluetooth (as local connection) Yes Infrared (as local connection) No Network settings Yes PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	"http://" string displayed automatically when entering URLs	Not displayed but the "http://" is added automatically to the URL
Internet network features Bluetooth (as local connection) Yes Infrared (as local connection) No Network settings Yes PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes Infrared (as local connection) Yes Push Cacpetion warning The user can make a choice if a dialog is wanted or not before loading The user can make a choice if a dialog is wanted or not before loading	"www" added automatically when entering URLs	No
Bluetooth (as local connection) Infrared (as local connection) No Network settings Yes PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	Combined Search/Go To input field	on user input. "www", ".com" and other URL syntax can be used to
Infrared (as local connection) No Network settings Yes PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 Wil on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	Internet network features	
Network settings PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) PUSH Content types Service Indication (SI) Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	Bluetooth (as local connection)	Yes
PPP Authentication PAP, CHAP supported Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Infrared (as local connection)	No
Security HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	Network settings	Yes
TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile WPKI OTA download of trusted certificates USB (as local connection) Yes PUSH Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox The user can make a choice if a dialog is wanted or not before loading	PPP Authentication	PAP, CHAP supported
Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Security	TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, Mobile Profile
Content types Service Indication (SI) Yes Service Loading (SL) Yes Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	USB (as local connection)	Yes
Service Indication (SI) Service Loading (SL) Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	PUSH	
Service Loading (SL) Cache Operation (CO) content type Session Initiation Application (SIA) Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Content types	
Cache Operation (CO) content type Session Initiation Application Yes Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Service Indication (SI)	Yes
Session Initiation Application Yes Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Service Loading (SL)	Yes
Man Machine Interface SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Cache Operation (CO) content type	No
SI/content retrieval postponing Yes SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Session Initiation Application (SIA)	Yes
SI menu structure accessability Messaging, Inbox SL reception warning The user can make a choice if a dialog is wanted or not before loading	Man Machine Interface	
SL reception warning The user can make a choice if a dialog is wanted or not before loading	SI/content retrieval postponing	Yes
	SI menu structure accessability	Messaging, Inbox
tho of	SL reception warning	The user can make a choice if a dialog is wanted or not before loading the SL
SIA reception warning Yes	SIA reception warning	Yes
Cache size limitations The oldest push in the inbox will be discarded	Cache size limitations	The oldest push in the inbox will be discarded

Feature	Support in the browser
Number of push messages	Depends on the size of the push messages. Around 20 push messages with a size of 1024 bytes URL and 1024 bytes Indications for Service Indication can be stored
Push deactivate	Yes
Dynamic push menu changes	No. There are no changes in the menus when activating/deactivating push
Security	
Mechanisms for push	None
Trust with PPG	Sending a SIA is the most reliable
WSP push sessions	No
HTTP push sessions	The White List (a setting to allow push messages only from certain addresses) is supported for IP address
SMS connection-less push	The White List (a setting to allow push messages only from certain addresses) is supported for SMS Centre
Denial of service/spoofing	Setting to select when to allow push messages: Always, always ask or never. There is also a setting to select whether to allow push messages from all senders or only from certain addresses (the White List)

Client Provisioning

Feature	Support
Provisioning	
Provisioning types	OMA Client provisioning (v1.1)
Total Parameter sets	10 (shared between the WAP provisioning types) < or = 10 (total number of data accounts)
Parameter set list	
Factory pre-configuration	
ОТА	CSD, GPRS configuration possible.
Security mechanism	
Bearer	OMA Client Provisioning

Feature	Support
SMS	Uses security mechanism (SEC) methods according to OMA-WAP-ProvCont- v1_1-20050428-C(see www.openmobilealliance.o rg). For NETWPIN the user is asked to accept to install received settings. For USERPIN, USERNETWPIN and USERPINMAC the user is subsequently asked to enter a PIN code that is a shared secret between the service provider and the user
Carrier reset/provisioning	Yes, but not if the set is pre-configured in the factory and locked.
SWIM	Not used for provisioning. The SWIM is only used for WAP security, both SSL/TLS connections and digital signatures.
Applicative provisioning	
Preferred bearer customization	Yes
Other applications/features	Yes (MMS, OMA Data Synchronization, Wireless Village, OMA Device Management, Streaming).
Technologies	
OMA Client provisioning	Yes, Client Provisioning version 1.1
Openwave OTA	No
Other	No
Provisioning bearer	SMS
Parameter sets available	Yes
Parameter sets for OTA modification	Yes

Abbreviations

3G

Technology that enables 384 Kbps (up to 3,6 Mbps download with HSDPA) data transfer.

ЗGPР™

3rd Generation Partnership Project

AAC+

AAC+

Advanced Audio Coding

AMR

Adaptive Multi Rate.

Audio format for speech sounds.

API

Application Programming Interface

Bluetooth PAN

Bluetooth Personal Area Network

CS

Circuit Switched

CSD

Circuit Switched Data

DRM

Digital Rights Management. Controlling copying and distribution of contents, with respect to intellectual property rights.

FR

DTMF or Touch Tone

Dual Tone Multi-Frequency signal. Codes sent as tone signals. Used for telephone banking, accessing an answering machine, etc.

EDGE

Enhanced Data Rates for GSM Evolution

e-GSM

Extended GSM. New frequencies specified by the European Radio Communications Committee (ERC) for GSM use when additional spectrum is needed (network-dependent). It allows operators to transmit and receive just outside GSM's core 900 frequency band. This extension provides increased network capability.

eAAC+

EDR

Enhanced Data Rate.

EFR

Enhanced Full Rate, speech coding.

EMS

Enhanced Messaging Service. Allows the user to add simple pixel pictures and animations, sounds and melodies to a text message. The EMS 3GPP™ standard also includes text formatting.

ETSI

European Telecommunications Standards Institute.

FM

Frequency Modulation of the (radio) carrier wave.

Full Rate, speech coding.

GIF

Graphics Interchange Format

GPRS

General Packet Radio Services

GPS

Global Positioning System

GSM

Global System for Mobile Communications. GSM is the world's most widely used digital mobile phone system, now operating in over 100 countries around the world, particularly in Europe and Asia-Pacific.

The GSM system family includes GSM 850, GSM 900, GSM 1800 and GSM 1900. There are different phases of roll-out for the GSM system and GSM phones are either phase 1 or phase 2 compliant.

HSCSD

High Speed Circuit Switched Data. A communications standard enabling GSM data transfer 14.4 - 28.8 Kbps.

HSDPA

High Speed Downlink Packet Access

HTML

HyperText Markup Language

HTTP

HyperText Transfer Protocol

JPEG

Joint photographer expert group

MIDI

Musical Instrument Digital Interface

ME

Mobile Equipment

MMI

Man-Machine Interface. See UI.

MP

Megapixel

MP3

Short for "MPEG-1 layer 3", an effective audio coding scheme.

MPEG4/MPG4

MT

Mobile Termination

ODI

Object Distribution Indicator

OMA

Open Mobile Alliance

OTA

Over-The-Air.

PDA

Personal Digital Assistant

PDP

Packet Data Protocol

PIM

Personal Information Management

PNG

Portable Network Graphic

RDS

Radio Data System

RSS

Really Simple Syndication

RTSP

Real Time Streaming Protocol session control.

SI

Service Indication

SL

Service Loading.

SIM card

Subscriber Identity Module card – a card that must be inserted in any GSM-based mobile phone. It contains subscriber details, security information and memory for a personal directory of numbers. The card can be a small plug-in type or credit card-sized, but both types have the same functions. The phone uses the small plug-in card.

SMS

Short Messaging Service. Allows messages of up to 160 characters to be sent and received via the network operator's message centre to a mobile phone.

SP-MIDI

SP-MIDI stands for Scalable Polyphony MIDI.

SS

Supplementary Services

SSL

Secure Socket Layer

TLS

Transport Layer Security

TTI

Transmission Time Interval

UI

User interface

URL

Uniform Resource Locator.
The global address of documents and other resources on the World Wide Web.

USSD

Unstructured Supplementary Services Data

vCard

vCard automates the exchange of personal information typically found on a traditional business card, for use in applications such as Internet mail, voicemail, Web browsers, telephony applications, call centers, conferences, PIMs /PDAs, pagers, fax, office equipment and smart cards. vCard is specified by IETF.

VGA

Video Graphics Array

WAP

Wireless Application Protocol. Handheld devices, low bandwidth, binary coded, a deck/card metaphor to specify a service. A card is typically a unit of interaction with the user, that is, either presentation of information or request for information from the user. A collection of WML cards is called a deck, which usually constitutes a service.

WAP Application

A collection of WML cards, with the new context attribute set in the entry card.

WAP service

A WML application residing on a Web site.

WAV

Windows media audio.

WBMP

Wireless BitMap.

A graphic format optimized for m

A graphic format optimized for mobile computing devices.

WCDMA

Wideband Code Division Multiple Access

WML

Wireless Markup Language. A markup language used for authoring services, fulfilling the same purpose as HyperText Markup Language (HTML) does on the World Wide Web (WWW). In contrast to HTML, WML is designed to fit small handheld devices.

WMLScript

Wireless Markup Language Script can be used to enhance the functionality of a service, just as, for example, Java Script may be utilized in HTML. It makes it possible to add procedural logic and computational functions to WAP-based services.

WSP

Wireless Session Protocol

WWW

World Wide Web

XHTML

Extensible HyperText Markup Language

XML

Extensible Markup Language

Related information

Documents

- Sony Ericsson User Guide
- Sony Ericsson FAQ

- AT Command Reference Manual
- WAP 2.0 Specifications

Links

- www.sonyericsson.com
- www.ericsson.com/mobilityworld
- www.midi.org
- www.gsmworld.com
- www.bluetooth.com
- www.imc.org
- www.3gpp.org

- www.etsi.fr
- www.openmobilealliance.org
- www.java.sun.com
- www.memorystick.org/
- www.memorystick.com/
- www.w3.org/TR/xhtml-basic

Trademarks and acknowledgements

Bluetooth is a trademark or registered trademark of Bluetooth SIG Inc.

SensMe[™], PlayNow[™], VideoDJ[™], Mega Bass[™], MusicDJ[™], PhotoDJ[™] and TrackID[™] are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB.

TrackID™ is powered by Gracenote Mobile MusicID™. Gracenote and Gracenote Mobile MusicID are trademarks of Gracenote, Inc.

WALKMAN, Memory Stick Micro[™], M2[™] and Memory Stick PRO Duo[™] are trademarks of Sony corporation.

Real, RealAudio, RealVideo are the trademarks or registered trademarks of RealNetworks, Inc.

XHTML™ is a registered trademark of the W3C.

Microsoft® and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Wayfinder is a trademark or a registered trademark of Wayfinder Systems AB

Google[™] and Google Maps[™] are trademarks or registered trademarks of Google, Inc.

3GPP™ is a trademark of ETSI in France and other jurisdictions.

Macromedia and Flash Lite are trademarks or registered trademarks of Adobe Systems Incorporated.

Java and all Java based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc, in the U.S. and other countries. End-user license agreement for Sun Java™ J2ME™. 1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/ or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sublicensed, in whole or in part. 2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders. 3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19 (C) (2) as applicable.

All other trademarks and copyrights are the property of their respective owners.