

Product Change Survey

Applicable for S700 family.

Contents

1	Repair Overview	2
1.1	Label content	2
1.2	Software description	4
1.3	SI / Revision description	7
2	Additional Information	8
2.1	Description of DPY/z variants.....	8
2.2	Description of DPY variants	8
2.2.1	Arctic Silver.....	8
3	Revision History	11



1 Repair Overview

1.1 Label content



Conceptual picture

Line 1a (2,5/2,0)	Sony Ericsson stylized name.	Graphics, height 1,4 mm. According to 190 89-EN/LZT 108 5347
Line 1b (2,5/15,0)	Model name, "S700i" / "S700c"	Text, height 1,2 mm.
Line 1c (2,5/19,0)	Product number (without R-state) of the DPY kit in which the phone is packed, if applicable. Printed without "DPY 101", "0000/000"	Text, height 1,2 mm.
Line 2a (4,0/1,0)	Type number of the phone (KRH), "Type: AAB-1021051-BV".	Text, height 1,2 mm.
Line 2b (4,0/15,0)	ROA and R-state identification field, "GHY ₁ Y ₂ Y ₃ "	Text, height 1,2 mm. According to the 3/151 86- document in the 1095- for the SVV.



	Content	Format
Line 2c (4,0/23,5)	Location code of where the phone is flashed, if applicable, “FFF”	Text, height 1,2 mm.
Line 3a (6,0/1,0)	Federal Communications Commission identification number: “FCC ID: PY7A1021051”	Text, height 1,2 mm.
Line 3b (6,0/15,0)	Industry Canada certification number: “IC: 4170B-A1021051”	Text, height 1,2 mm.
Line 4 (9,0/2,0)	Line 5a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,5 mm. As desired by supplier (e.g. Code 128 symbology).
Line 5a (10,5/1,0)	Supplier’s identification for traceability of the telephone, as desired by supplier (e.g. “S/N: nnn...” for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 5b (10,5/12,0)	Electronic serial number (IMEI) of phone (KRH), “IMEI: 00000000-000000-0”.	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from the 3/151 86-document in the 1095- for the SVV. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 6 (13,5/2,0)	Line 5b in bar code (only actual number, without data identifier).	Bar code, height 2,5 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 7 (15,0/1,0)	Repair week, if applicable. “Ry’W’ww” (y = year, ww = week)	Text, height 1,2 mm.
Line 8 (17,0/1,0)	Production week, “yy’W’ww” (yy = year, ww = week)	Text, height 1,2 mm.
Line 9a (19,0/1,0)	Marking of origin. The line shall be printed as stated in a separate 1/151 86- document in the 1095- for the SVV, if any.	Text, height 1,2 mm.
Line 9b (19,0/11,0)	Additional field/lines.	The field shall be left blank unless otherwise stated in a separate 2/151 86–document in the 1095- of the actual SVV.
Line 9c (19,0/32,0)	“CE0682” approval symbol.	Graphics, height 5 mm. According to SVF 930 182/2. Rotated 90° counter clockwise.



1.2 Software description

You will find the software description in the MMI (>*<<*<*) at the bottom of the Software Info menu.

Note the CXC is the same for several SW so you must go by the EU_1, EU_2 etc. when you identify the language variant.

Software Info

pgcxc125935_EU_1_T

LCD SW versions

Main Display

Current: 200211260

Camera SW versions

Camera

Current: 1,0

ITP SW version

CXC 125 942 R1A

Customisation

cxc125941 R3B032

EU_4

EMMA II NAME [Rxx = SW revision]	MENU LANGUAGE [Convert from ISO codes]	TAC	CXC
S700i AsianLatin1 [EN MS ID TL VI TH] R3B032	English, Malay, Indonesian, Tagalog, Vietnamese, Thai	35451300, 35451400,35451500, 35454800	cxc 125945
S700i AsianLatin2 [EN MS ZS] R3B032	English, Malay, Chinese Simplified (ZS),	35451300, 35451400,35451500, 35454800	cxc 125947
S700c Chinese1 [EN ZS] R3B032	English, Chinese Simplified (ZS)	35454700	cxc 125947
S700i Hong Kong [EN ZC] R3B032	English, Chinese Traditional (ZC) Hong Kong	35451300, 35451400,35451500, 35454800	cxc 125945
S700i Taiwan [EN ZT] R3B032	English, Chinese Traditional (ZT) Taiwan	35451300, 35451400,35451500, 35454800	cxc 125946
S700i EMEA1 [EN ET LV LT PL RU UK] R3B032	English, Estonian, Latvian, Lithuanian, Polish, Russian, Ukrainian	35451300, 35451400,35451500, 35454800	cxc 125935
S700i EMEA2 [EN HR CS SR SL SK] R3B032	English, Czech, Croatian, Serbian, Slovenian, Slovak	35451300, 35451400,35451500, 35454800	cxc 125935



S700i EMEA3 [EN EL SQ] R3B032	English, Greek, Albanian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EMEA4 [EN RO HU BG RU] R3B032	English, Romanian, Hungarian, Bulgarian, Russian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EMEA5 [EN AR HE RU FR FA] R3B032	English, Arabic, Hebrew, Russian, French, Farsi	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EMEA6 [ENFR AR FA RU] R3B032	English, French, Arabic, Farsi, Russian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EMEA7 [EN TR RU] R3B032	English, Turkish, Russian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU1 [EN PT ES FR] R3B032	English, Portuguese, Spanish, French	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU2 [EN FR DE ST ZU] R3B032	English, French, German, Sesotho, Zulu	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU3 [EN DA NL FR DE] R3B032	English, Danish(+Icelandic 4 letters), Dutch, French, German	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU4 [EN DA SV NO] R3B032	English, Finnish, Danish(+Icelandic 4 letters), Swedish, Norwegian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU5 [EN FR DE IT] R3B032	English, French, German, Italian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i EU6 [EN FR DE IT] R3C002	English, French, German, Italian	35451300, 35451400,35451500, 35454800	cx c 125935
S700i US1 [AE CF XL] R3B032	US English, Canadian French, Latin American Spanish	35451300, 35451400,35451500, 35454800	cx c 125935
S700i US2 [PB XL AE] R3B032	Brazilian Portuguese, Latin American Spanish, US English	35451300, 35451400,35451500, 35454800	cx c 125935
S700i Vodafone 1 [EN NL EL PT ES SV] R3C002	English, Dutch, Greek, Portuguese, Spanish, Swedish	35451300, 35451400,35451500, 35454800	cx c 125936
S700i Vodafone 2 [EN FR IT DE AR HU TR] R3C002	English, French, Italian, German, Arabic, Hungarian, Turkish	35451300, 35451400,35451500, 35454800	cx c 125936



LANGUAGE	Abb.
US English	AE
Arabic	AR
Bulgarian	BG
Brazilian Portuguese	PB
Greek	EL
English	EN
Spanish	ES
Estonian	ET
Farsi	FA
French	FR
French	FR
Hebrew	HE
Croatian	HR
Hungarian	HU
Indonesian	ID
Italian	IT
Lithuanian	LT
Latvian	LV
Malay	MS
Dutch	NL
Norwegian	NO
Polish	PL
Portuguese	PT
Romanian	RO
Russian	RU
Slovakian	SK
Slovenian	SL
Albanian	SQ



Serbian	SR
Sotho	ST
Thai	TH
Tagalog	TL
Turkish	TR
Ukrainian	UK
US English	US EN
Vietnamese	VI
Chinese Traditional, Hong Kong	ZC
Chinese Simplified, China	ZS
Chinese Traditional, Taiwan	ZT
Zulu	ZU
Latin American Spanish	XL

CXC	Title
CXC 125 935	ssw EU1 generic
CXC 125 936	ssw Vodafone 1, 2 ,3
CXC 125 945	ssw Hong Kong
CXC 125 946	ssw Taiwan
CXC 125 947	ssw China (S700c)

1.3 SI / Revision description

The SI ref. is the original document; if you search on the first four digits in SI ref. you'll find your version of it on CSPN.

SI	Date	Header	Label Identifier	Mandatory Action	Repair rev out
12630-44363	2004-09-24	SI - S700i lead free product. Repair information			
12660-44589	2004-10-04	SI - S700 CSCA & SERP info.			
12719-45054	2004-10-19	SI - S700 Updated repair documentation			
12771-45337	2004-11-02	SI - S700 Problem with white pixel in camera mode			

2 Additional Information

2.1 Description of DPY/z variants

Note, All kits are not released, see Web shop for which variants are orderable.

DPY no.	Description	Colour
DPY 101 2738/Z1	S700i/Arctic Silver/Latin	Silver
DPY 101 2738/Z11	S700i/Arctic Silver/Latin/VF-key + VF LCD-logo	Silver
DPY 101 2738/Z13	S700i/Arctic Silver/Latin/Vodafone	Silver
DPY 101 2738/Z14	S700i/Arctic Silver/Latin/Strike(Mainland China)	Silver
DPY 101 2738/Z15	S700i/Arctic Silver/Latin/TIM key	Silver
DPY 101 2738/Z17	S700i/Arctic Silver/Latin/Stroke/GoTonekey	Silver
DPY 101 2738/Z2	S700i/Arctic Silver/Latin/Stroke(Hong Kong)	Silver
DPY 101 2738/Z3	S700i/Arctic Silver/LatinStroke/Bopomofo	Silver
DPY 101 2738/Z4	S700i/Arctic Silver/Latin/Thai	Silver
DPY 101 2738/Z5	S700i/Arctic Silver/Arabic	Silver
DPY 101 2738/Z6	S700i/Arctic Silver/Cyrillic	Silver

2.2 Description of DPY variants

Note, All kits are not released, see Web shop for which variants are orderable.

2.2.1 Arctic Silver

DPY 101 2738/Z1	S700i/Arctic Silver/Latin,SWAP UNIT
DPY 101 2738/7	S700i/Arctic Silver/Australia
DPY 101 2738/8	S700i/Arctic Silver/Austria
DPY 101 2738/11	S700i/Arctic Silver/Belgium
DPY 101 2738/13	S700i/Arctic Silver/Brazil
DPY 101 2738/18	S700i/Arctic Silver/Czech Republic
DPY 101 2738/68	S700i/Arctic Silver/E-Plus,DE



DPY 101 2738/23	S700i/Arctic Silver/France
DPY 101 2738/24	S700i/Arctic Silver/Germany
DPY 101 2738/25	S700i/Arctic Silver/Greece
DPY 101 2738/26	S700i/Arctic Silver/Hungary
DPY 101 2738/44	S700i/Arctic Silver/India, Bangladesh
DPY 101 2738/28	S700i/Arctic Silver/Indonesia, Sri Lanka
DPY 101 2738/32	S700i/Arctic Silver/Italy
DPY 101 2738/20	S700i/Arctic Silver/LAM Dominican Republic/El Salvador/Peru/Venezuela
DPY 101 2738/40	S700i/Arctic Silver/Netherlands
DPY 101 2738/19	S700i/Arctic Silver/Nordic (NO/DK)
DPY 101 2738/59	S700i/Arctic Silver/Nordic Generic 1 (SE/FI)
DPY 101 2738/71	S700i/Arctic Silver/O2,UK
DPY 101 2738/46	S700i/Arctic Silver/Philippines, Vietnam
DPY 101 2738/47	S700i/Arctic Silver/Poland trade
DPY 101 2738/48	S700i/Arctic Silver/Portugal
DPY 101 2738/52	S700i/Arctic Silver/Singapore, Malaysia
DPY 101 2738/45	S700i/Arctic Silver/Southern Cone (Chile/Paraguay)
DPY 101 2738/57	S700i/Arctic Silver/Spain
DPY 101 2738/104	S700i/Arctic Silver/Sunrise,CH
DPY 101 2738/60	S700i/Arctic Silver/Switzerland
DPY 101 2738/105	S700i/Arctic Silver/Telcel,MX



DPY 101 2738/62	S700i/Arctic Silver/Turkey
DPY 101 2738/30	S700i/Arctic Silver/UK, Ireland
DPY 101 2738/147	S700i/Mobile Phone/Optus,AU/Arc Silv
DPY 101 2738/75	S700i/Mobile Phone/Orange,CH/Arc Silv
DPY 101 2738/161	S700i/Mobile Phone/Smart,PH/Arc Silver
DPY 101 2738/119	S700i/Mobile Phone/Telia,SE/Arc Silv

DPY 101 2738/Z11	S700i/Silver/Latin/VF-key + VF LCD-logo,SWAP UNIT
DPY 101 2738/99	S700i/Arctic Silver/Vodafone,PT
DPY 101 2738/98	S700i/Mobile Phone/Vodafone,NZ/Arc Silv
DPY 101 2738/96	S700i/Mobile Phone/Vodafone,MT/Arc Silv
DPY 101 2738/93	S700i/Arctic Silver/Vodafone,HU
DPY 101 2738/92	S700i/Mobile Phone/Vodafone,GR/Arc Silv
DPY 101 2738/91	S700i/Arctic Silver/Vodafone,DE
DPY 101 2738/87	S700i/Mobile Phone/Vodafone,AU/Arc Silv
DPY 101 2738/85	S700i/Arctic Silver/Vodafone,UK
DPY 101 2738/101	S700i/Arctic Silver/Vodafone,SE

DPY 101 2738/Z15	S700i/Silver/Latin/TIM key, SWAP UNIT
DPY 101 2738/131	S700i/Arctic Silver/TIM,IT

DPY 101 2738/Z13	S700i/Silver/Latin/Vodafone SWAP UNIT (VF keypad logo KRH 101 260/5)
DPY 101 2738/69	S700i/Mobile Phone/Vfe (Mkom),AT/Arc Sil
DPY 101 2738/90	S700i/Arctic Silver/Vodafone SFR,FR
DPY 101 2738/102	S700i/Arctic Silver/Vodafone SwissCom,CH

DPY 101 2738/Z3	S700i/Silver/LatinStroke/Bopomofa,SWAP UNIT
DPY 101 2738/108	S700i/Arctic Silver/CHT, TW

DPY 101 2738/Z4	S700i/Silver/Latin/Thai,SWAP UNIT
DPY 101 2738/61	S700i/Arctic Silver/Thailand

DPY 101 2738/Z2	S700i/Silver/Latin/Stroke(Hong Kong),SWAP UNIT
DPY 101 2738/2	S700i/Arctic Silver/Hong Kong
DPY 101 2738/159	S700i/Arctic Silver/CSL, Hong Kong
DPY 101 2738/1	S700c/Arctic Silver/China Mainland
DPY 101 2738/164	S700c/Mobile Phone/CMCC,CN/Arctic Silver

DPY 101 2738/Z14	S700i/Silver/Latin/Strike(Mainland China),SWAP UNIT
DPY 101 2738/1	S700c/Arctic Silver/China Mainland
DPY 101 2738/2	S700i/Arctic Silver/Hong Kong
DPY 101 2738/159	S700i/Arctic Silver/CSL, Hong Kong
DPY 101 2738/164	S700c/Mobile Phone/CMCC,CN/Arctic Silver

DPY 101 2738/Z17	S700i/Silver/Latin/Stroke/GoTonekey, SWAP UNIT
DPY 101 2738/135	S700c/Mobile Phone/CMCC,CN/Arctic Silv

DPY 101 2738/Z5	S700i/Silver/Arabic,SWAP UNIT
DPY 101 2738/9	S700i/Arctic Silver/UAE

DPY 101 2738/Z6	S700i/Silver/Cyrillic,SWAP UNIT
DPY 101 2738/50	S700i/Arctic Silver/Russia

3 Revision History

Rev.	Date	Changes / Comments
A	2004-10-04	First revision
B	2004-11-17	Updated DPY/Z table & SI table